



KVM Cables Table

Last Update: 2008/05/27

Image	TO PC/ Source Interface	TO Switch Interface
A. 	 6 pin mini Din male  6 pin mini Din male  15 pin HDB male	 6 pin mini Din male  6 pin mini Din male  15 pin HDB female
Product No.	Interface	Compatible Products
<u>2L-1001P/C (1.8 M)</u> <u>2L-1003P/C (3 M)</u> <u>2L-1005P/C (5 M)</u> <u>2L-1006P/C (6 M)</u> <u>2L-1010P/C (10 M)</u> <u>2L-1020P/C (20 M)</u> <u>2L-1030P/C (30 M)</u> <u>2L-1040P/C (40M)</u>	PS/2 Standard Cable	<u>CS114A</u> <u>CS12</u> <u>CS14</u> <u>CS912</u> <u>CS914</u> <u>CS124A</u> <u>CS138A</u> <u>CS142</u> <u>CS82A</u> <u>CS84A</u> <u>CS88A</u> <u>CS9134</u>
<u>2L-5001P/C (1.2 M)</u> <u>2L-5002P/C (1.8 M)</u> <u>2L-5003P/C (3 M)</u> <u>2L-5005P/C (5 M)</u>	PS/2 Slim Cable	<u>CS9138</u> <u>CS78</u> <u>CE120</u> <u>CE220</u> <u>CE250A</u> <u>KH98</u>

Image	TO PC/ Source Interface	TO Switch Interface
-------	-------------------------	---------------------

A1.



6 pin mini Din male



6 pin mini Din male



15 pin HDB male



6 pin mini Din female



6 pin mini Din female



15 pin HDB female

Product No.

Interface

Compatible Products

2L-1010P (10 M)

2L-1020P (20 M)

2L-1030P (30 M)

2L-1040P (40 M)

PS/2 Cable

CS114A

CS12

CS14

CS912

CS914

CS124A

CS138A

CS142

CS82A

CS84A

CS88A

CS9134

CS9138

CS78

CE120

CE220

CE250A

KH98

Image

TO PC/ Source Interface

TO Switch Interface

B.



6 pin mini Din male



6 pin mini Din male



15 pin HDB male



SPHD-15 male

Product No.

Interface

Compatible Products

2L-5201P (1.2 M) 2L-5202P (1.8 M) 2L-5203P (3 M) 2L-5206P (6 M)	PS/2	CS72E CS74E ACS1208A ACS1216A CL1208/CL1216 CL1758 CE252 CS231 KH0116 KL1116 KL3116 KL9108 KL9116 KN9108 KN9116 KL1100 CN8000
--	------	---

Image	TO PC/ Source Interface	TO Switch Interface
C. 	 6 pin mini Din male  6 pin mini Din male  15 pin HDB male	 SPHD-15 male
Product No.	Interface	Compatible Products
2L-5702P (1.8 M)	PS/2	CS72E CS74E ACS1208A ACS1216A CL1208/CL1216 CL1758 CE252 CS231 KH0116 KL1116 KL3116 KL9108 KL9116 KN9108 KN9116 KL1100

Image	TO PC/ Source Interface	TO Switch Interface
D. 	  2 audio plugs  15 pin HDB male	 SPHD-15 female
Product No.	Interface	Compatible Products
2L-5202A (1.8 M) 2L-5203A (3 M) 2L-5205A (5 M)	USB	CS1742 CS1744

Image	TO PC/ Source Interface	TO Switch Interface
E. 	 USB A Type male  15 pin HDB male	 SPHD-15 male
Product No.	Interface	Compatible Products
2L-5202UP (1.8 M) 2L-5203UP (3 M) 2L-5206UP (6 M)	USB	CS72E CS74E ACS1208A ACS1216A CL1208/CL1216 KH0116 KL1116 KL9108 KL9116 KN9108 KN9116

Image	TO PC/ Source Interface	TO Switch Interface
-------	-------------------------	---------------------

F. 	 USB A Type male	 2 audio plugs
	 USB A Type male	 SPHD-15 male
	 2 audio plugs	
	 15 pin HDB male	
Product No.	Interface	Compatible Products
2L-5302UU (1.8m) 2L-5303UU (3m) 2L-5305UU (5m)	USB	CS1772 CS1774

Image	TO PC/ Source Interface	TO Switch Interface
G. 	 USB A Type male	 6 pin mini Din male
	 15 pin HDB male	 6 pin mini Din male
		 15 pin HDB female
Product No.	Interface	Compatible Products
2L-5502UP (1.8 M) 2L-5503UP (3 M) 2L-5506UP (6 M)	USB	CS12 CS14 CS912 CS914 CS114A CS124A CS138A CS82A CS84A CS88A CS9134 CS9138 CS78

Image	TO PC/ Source Interface	TO Switch Interface
-------	-------------------------	---------------------

Product No.	Interface	Compatible Products
<u>2L-1700 (0.6 M)</u> <u>2L-1701 (1.8 M)</u> <u>2L-1703 (3 M)</u> <u>2L-1705 (5 M)</u>	---	<u>CS1004</u> <u>CS1008</u> <u>CS1016</u> <u>ACS1208A</u> <u>ACS1216A</u> <u>CS1708</u> <u>CS1716</u> <u>CL1208/CL1216</u> <u>KH0116</u> <u>KL1116</u> <u>KL3116</u> <u>KL1508</u> <u>KL1516</u> <u>KH1508i</u> <u>KH1516i</u>

Image	TO PC/ Source Interface	TO Switch Interface
K. 	 6 pin mini Din male  6 pin mini Din male  2 audio plugs  15 pin HDB male	 Port DB-25 male
Product No.	Interface	Compatible Products
<u>2L-1701P (1.8 M)</u> <u>2L-1703P (3 M)</u> <u>2L-1705P (5 M)</u> <u>2L-1710P (10 M)</u>	PS/2	<u>CS1004</u> <u>CS1008</u> <u>CS1016</u> <u>CS428</u> <u>CS228</u>

Image	TO PC/ Source Interface	TO Switch Interface
-------	-------------------------	---------------------

L. 	 6 pin mini Din female	 Port DB-25 male
	 6 pin mini Din female	
	 2 audio sockets (female)	
	 15 pin HDB female	
Product No.	Interface	Compatible Products
2L-1701S (1.1 M)	PS/2	CS428

Image	TO PC/ Source Interface	TO Switch Interface
M. 	 USB A Type male	 SPHD-15 male
	 2 audio plugs	 2 audio Jacks
	 15 pin HDB male	
Product No.	Interface	Compatible Products
2L-5301U (1.2 M)	USB	CS1732A
2L-5302U (1.8 M)		CS1734A
2L-5303U (3 M)		CS1754
2L-5304U (4 M)		CS1758
2L-5305U (5 M)		CE800

Image	TO PC/ Source Interface	TO Switch Interface
-------	-------------------------	---------------------

N. 	 6 pin mini Din male	 SPHD-15 male
	 6 pin mini Din male	 2 audio plugs
	 2 audio plugs	
	 15 pin HDB male	
Product No.	Interface	Compatible Products
2L-5301P (1.2 M) 2L-5302P (1.8 M) 2L-5303P (3 M) 2L-5305P (5 M)	PS/2	CS1732A CS1734A CS1754 CS1758 CE300 CS1732B CS1734B

Image	TO PC/ Source Interface	TO Switch Interface
O. 	 USB A Type male	 SPHD-15 male
	 15 pin HDB male	
	Product No.	Compatible Products
	USB	CS1708 CS1716 CS1742 CS1744 CL1758 CS1758 (cascade for CL1758) CS231 KL3116 KL1100 IP8000 CN8000

Image	TO PC/ Source Interface	TO Switch Interface
-------	-------------------------	---------------------

P.		 USB A Type male	 USB B Type male		
		 15 pin HDB male	 15 pin HDB female		
		Product No.		Interface	Compatible Products
		2L-5001U (1.2 M) 2L-5002U (1.8 M) 2L-5003U (3 M) 2L-5005U (5 M)		USB	CS102U CS104U CE700



Image	TO PC/ Source Interface	TO Switch Interface
Q. 	 DVI male	 DVI male
	 2 audio plugs	 2 audio plugs
Product No.	Interface	Compatible Products
<u>2L-7D02V</u>	DVI	<u>VS162</u> <u>VS164</u>

Image	TO PC/ Source Interface	TO Switch Interface
R. 	 DVI-I male	 DVI-I male
Product No.	Interface	Compatible Products
<u>2L-7D02I</u>	DVI	<u>VS261</u> <u>VS461</u> <u>VE560</u>

Image	TO PC/ Source Interface	TO Switch Interface
-------	-------------------------	---------------------

S. 	 15 pin HDB female  2 audio plugs	 15 pin HDB male  2 audio plugs
Product No.	Interface	Compatible Products
<u>2L-2402A</u>	VGA	<u>VS0202</u> <u>VS0204</u> <u>VS0404</u> <u>VS0116</u> <u>VS1601</u>

Image	TO PC/ Source Interface	TO Switch Interface
T. 	 HPDB-50 male Daisy chain in	 HPDB-50 male Daisy chain out
Product No.	Interface	Compatible Products
<u>LINS-50H1-H12</u> <u>2L-1700KM (0.6 M)</u> <u>2L-1701KM (1.2 M)</u> <u>2L-1704KM (4 M)</u>	---	<u>KM0216</u> <u>KM0432</u> <u>KM0832</u>



About SPHD Connectors:

Many of our KVM switches use SPHD connectors for their KVM and/or console ports. We have specifically modified the shape of these connectors so that only KVM cables that we have designed to work with the KVM switch can be connected.