

Tenda

1200M Ceiling Access point

I24

Product Introduction

1200M ceiling Access Point

Catalogue

01 What is Access Point

02 Specification

03 Selling Point

04 Application Scenarios

What is Access Point



I24

Access Point is for project.

- More stable
- Larger coverage
- More Concurrent Clients
- The batch management



AC6

Router is for home use.

- Easy to install
- Higher integration

Catalogue


01 What is Access Point



02 Specification

03 Selling Point

04 Application Scenarios

I24 Specification



	Tenda	UBNT
ID		
Model	I24	UAP-AC-LITE
Frequency	1200M, Dual Band	1200M, Dual Band
Antennas	2*4dBi	2*3dBi
TX Power	26dBm+24dBm	20dBm+20dBm
Concurrent Clients	100(256)	250+
Operating mode	AP、Client+AP	AP
SSID Number	12	2
VLAN	Support	Support
VPN	PPTP/L2TP	PPTP/L2TP

Catalogue

01 What is Access Point

02 Specification

03 **Selling Point**

04 Application Scenarios

Selling Point

- More Concurrent Clients:

Support MU-MIMO: Can take **100 device** watch movie together.

- Larger coverage

In a clean area, the biggest coverage can reach **300 square meters**.

- More stable

Same or even better **hardware** than UBNT, the performance is better than UAP-AC-LITE.

- The **batch management**

Multiple I24 Can be managed by M3(AP Control) at the same time, easy for project.



Catalogue

- 01 What is Access Point
- 02 Specification
- 03 Selling Point
- 04 Application Scenarios

Application



Chain / Star Hotel



High School/Collage



Entertainment/café



Small and medium enterprises



THANK YOU